

Table 1
Torex Gold Resources Inc.
Drilling Results Media Luna and Media Luna West Targets
October 2012

Drill-Hole	Target Area	UTM-E (m)	UTM-N (m)	Elevation (m)	Azimuth (°)	Dip (°)	Total Length (m)	Intersection			Core Length (m)	Au (g/t)	Ag (g/t)	Cu (%)	Au equiv (g/t)	Lithology
									From (m)	To (m)						
ML-05A	Media Luna	423444.42	1985094.91	1585.78	290	-60.0	617.0		375.70	440.24	64.54	1.35	13.35	0.75	2.72	Skarn
								including	395.30	413.73	18.43	3.72	44.51	2.56	8.38	Skarn
ML-09A	Media Luna	422622.77	1984738.97	1325.62	0	-90.0	855.0		478.49	535.34	56.85	2.84	20.00	0.80	4.41	Skarn
								including	502.85	518.90	16.05	6.00	30.12	1.37	8.61	Skarn
ML-13	Media Luna	422656.11	1985060.09	1465.40	0	-90.0	688.2		497.05	504.48	7.43	0.88	1.82	0.11	1.08	Skarn
ML-29	Media Luna	422679.11	1984912.14	1437.42	0	-90.0	624.0		451.05	453.42	2.37	0.21	3.13	0.10	0.42	Skarn
									513.94	523.13	9.19	1.27	39.77	0.99	3.49	Skarn
ML-33	Media Luna	422686.98	1984620.02	1326.96	0	-90.0	767.5		562.22	582.63	20.41	1.05	41.05	1.54	4.12	Skarn
								including	575.44	582.63	7.19	1.66	114.80	4.30	10.23	Skarn
ML-72	Media Luna	422664.70	1984539.48	1304.74	0	-90.0	828.5		60.00	90.00	30.00	0.54	1.21	0.06	0.66	Breccia
									566.30	613.61	47.31	1.58	44.53	1.53	4.70	Skarn
								including	566.30	572.68	6.38	4.71	45.41	2.76	9.69	Skarn
SS-02	Media Luna	421985.13	1985604.56	1433.71	0	-70.0	807.0		648.85	728.50	79.65	0.53	12.71	0.88	2.09	Skarn
								including	714.60	728.50	13.90	1.32	39.83	2.94	6.47	Skarn
SS-06	Media Luna West	421167.92	1985017.02	1183.31	0	-90.0	837.3		676.66	691.30	14.64	7.88	8.94	0.48	8.76	Skarn
MLW-04	Media Luna West	421034.01	1985190.00	1192.83	120	-70.0	841.2		713.40	752.79	39.39	2.40	15.84	0.87	4.00	Skarn
								including	725.43	742.00	16.57	0.19	33.13	1.60	3.20	Skarn

Notes:

True thickness of the mineralized zone is unknown and is reported as drill hole length

The gold equivalent grade, including copper and silver values, is based on 100% metal recoveries.

The gold grade equivalent calculation used is as follows: Au g/t (EQ) = Au g/t + (Cu grade x ((Cu price per lb/Au price per oz) x 0.06857 lbs per oz x 10000 g per %)) + (Ag grade x (Ag price per oz/Au price per oz)).

The metal prices used were: Gold - \$1600/oz, Copper - \$3.50/lb, Silver - \$29.59/oz