

Drill-Hole	Target Area	UTM-E (m)	UTM-N (m)	Elevation (m)	Azimuth (°)	Dip (°)	Total Length (m)	Intersection		Core Length (m)	Au g/t	Ag g/t	Cu %	Lithology	
								From (m)	To (m)						
SST-01	Sub-Sill	422457.99	1989852.07	1152.97	315	-87	254.60		84.49	86.80	2.3	20.1	8.6	0.1	Skarn
									141.72	145.08	3.4	317.8	51.0	1.6	Skarn
									190.58	194.40	3.8	7.4	4.7	0.1	Skarn
SST-02	Sub-Sill	422424.19	1989818.21	1146.32	118	-55	236.50		70.52	77.00	6.5	7.2	1.1	0.0	Skarn
									101.65	105.08	3.4	12.1	47.6	5.5	Skarn
SST-03	Sub-Sill	422384.58	1989765.92	1138.39	99	-61	181.60		48.18	51.00	2.8	6.8	2.9	0.1	Skarn
SST-04	Sub-Sill	422384.67	1989884.13	1199.45	100	-82	329.50		320.76	322.95	2.2	1.4	19.0	0.7	Skarn
SST-05	Sub-Sill	422384.00	1989766.00	1138.00	279	-80	191.40		104.40	107.79	3.4	23.9	16.5	0.5	Skarn
SST-06	Sub-Sill	422510.92	1989858.05	1158.38	90	-72	150.00		68.15	71.06	2.9	33.7	12.1	0.3	Skarn
SST-07	Sub-Sill	422453.12	1989886.99	1173.58	0	-90	317.80		140.78	148.13	7.4	23.0	31.9	1.2	Skarn
									256.76	272.80	16.0	19.4	28.2	1.0	Skarn
SST-08	Sub-Sill	422509.53	1989858.06	1158.42	0	-90	221.70		67.22	71.35	4.1	10.3	50.5	2.3	Skarn
									83.05	92.45	9.4	5.5	30.0	1.1	Skarn
									140.89	143.36	2.5	18.9	33.6	1.2	Skarn
SST-09	Sub-Sill	422385.11	1989765.80	1138.58	80	-81	200.50		91.71	97.80	6.1	14.7	3.7	0.2	Skarn
									118.39	122.50	4.1	23.2	25.6	1.2	Skarn
									139.90	146.67	6.7	6.7	14.4	0.6	Skarn
SST-10	Sub-Sill	422406.57	1989800.12	1143.41	90	-68	120.00		64.50	80.00	15.5	14.9	2.4	0.0	Skarn
									93.25	96.22	3.0	11.1	3.7	0.1	Skarn
SST-11	Sub-Sill	422517.59	1989840.11	1150.91	95	-65	101.20		98.38	99.91	1.5	3.5	8.8	0.2	Skarn
SST-12	Sub-Sill	422326.72	1989842.02	1213.76	96	-82	283.00		186.77	190.31	3.5	8.7	1.0	0.0	Skarn
									205.20	213.83	8.6	8.0	8.2	0.3	Skarn
SST-13	Sub-Sill	422361.73	1989834.12	1192.23	90	-76	240.80		129.52	134.72	5.2	14.8	2.7	0.0	Skarn
									168.24	176.29	8.1	16.0	16.0	0.6	Skarn
SST-14	Sub-Sill	422448.44	1989828.48	1150.04	0	-90	158.50		67.53	73.93	6.4	7.0	8.8	0.2	Skarn
									83.71	91.75	8.0	12.5	3.6	0.1	Skarn
SST-15	Sub-Sill	422399.22	1989845.46	1175.20	95	-71	150.00		114.65	120.45	5.8	23.9	4.2	0.1	Skarn
									134.58	138.49	3.9	112.7	39.2	1.3	Skarn
SST-16	Sub-Sill	422348.54	1989829.52	1193.58	275	-85	314.60	No Intercepts							
SST-17	Sub-Sill	422555.27	1989831.73	1154.92	95	-60	101.50		80.04	81.36	1.3	16.3	27.2	0.9	Skarn
SST-19	Sub-Sill	422361.10	1989864.09	1205.91	0	-90	326.50		263.55	266.00	2.4	230.7	7.2	0.0	Skarn
									276.60	279.00	2.4	84.1	22.6	1.0	Skarn
SST-21	Sub-Sill	422425.03	1989864.50	1173.38	0	-90	230.60		39.56	41.12	1.6	1.3	3.0	0.1	Skarn
SST-22	Sub-Sill	422288.94	1989808.47	1204.86	90	-80	220.70		194.00	196.40	2.4	10.9	2.0	0.0	Skarn
SST-23	Sub-Sill	422284.75	1989808.71	1205.15	195	-85	309.30	No Intercepts							
SST-24	Sub-Sill	422337.85	1989794.80	1183.48	0	-90	336.10		155.14	158.30	3.2	3.9	3.5	0.0	Skarn
SST-25	Sub-Sill	422405.84	1989795.91	1142.97	0	-90	161.60		98.00	107.60	9.6	19.6	4.1	0.3	Skarn
SST-26	Sub-Sill	422336.05	1989794.12	1183.57	95	-76	191.50		158.12	160.00	1.9	42.8	6.0	0.0	Skarn
SST-27	Sub-Sill	422450.02	1989828.49	1150.34	90	-68	206.60		42.86	44.91	2.1	125.8	12.0	0.0	Skarn
									81.59	94.88	13.3	22.6	37.1	3.1	Skarn
SST-28	Sub-Sill	422458.66	1989852.00	1152.83	100	-70	180.00		90.76	95.61	4.8	8.6	17.2	0.6	Skarn
SST-29	Sub-Sill	422503.37	1989885.74	1160.24	0	-90	254.70		104.53	111.56	7.0	14.9	45.6	1.5	Skarn
									127.55	128.56	1.0	103.2	123.0	3.4	Skarn
									136.50	139.82	3.3	17.3	23.4	0.9	Skarn
									167.06	176.56	9.5	9.6	35.4	1.4	Skarn
SST-30	Sub-Sill	422504.40	1989887.29	1160.39	90	-70	239.50		144.31	153.05	8.7	13.6	24.8	0.7	Skarn
SST-31	Sub-Sill	422331.27	1989725.14	1128.79	130	-70	300.00		134.03	136.32	2.3	9.4	8.6	0.3	Skarn
SST-32	Sub-Sill	422549.72	1989889.79	1163.20	130	-70	251.70		137.46	138.92	1.5	50.4	23.7	0.3	Skarn
SST-33	Sub-Sill	422286.63	1989760.58	1169.19	110	-70	367.00		261.40	263.29	1.9	8.9	7.2	0.4	Skarn
									292.07	293.86	1.8	11.2	8.2	0.4	Skarn
SST-34	Sub-Sill	422448.85	1989828.97	1150.32	90	-45	134.40		54.68	58.95	4.3	83.3	18.1	1.1	Skarn
									95.27	100.83	5.6	25.5	36.7	3.7	Skarn
SST-35	Sub-Sill	422558.82	1989851.56	1161.69	0	-90	161.70		95.60	97.40	1.8	6.2	2.7	0.1	Skarn
SST-36	Sub-Sill	422395.47	1989863.16	1185.09	0	-90	302.50		274.53	285.12	10.6	9.1	36.2	3.4	Skarn

Notes:

True thickness of the mineralized zone is unknown and is reported as drill hole length  
The gold values used to calculate the intercept composite are uncapped

<b>Drill-Hole</b>	<b>Target Area</b>	<b>UTM-E (m)</b>	<b>UTM-N (m)</b>	<b>Elevation (m)</b>	<b>Azimuth (°)</b>	<b>Dip (°)</b>
<b>SST-06</b>	<b>Sub-Sill</b>	422510.92	1989858.05	1158.38	90	-72
<b>SST-07</b>	<b>Sub-Sill</b>	422453.12	1989886.99	1173.58	0	-90
<b>SST-08</b>	<b>Sub-Sill</b>	422509.53	1989858.06	1158.42	0	-90
<b>SST-09</b>	<b>Sub-Sill</b>	422385.11	1989765.80	1138.58	80	-81
<b>SST-10</b>	<b>Sub-Sill</b>	422406.57	1989800.12	1143.41	90	-68
<b>SST-11</b>	<b>Sub-Sill</b>	422517.59	1989840.11	1150.91	95	-65
<b>SST-15</b>	<b>Sub-Sill</b>	422399.22	1989845.46	1175.20	95	-71
<b>SST-16</b>	<b>Sub-Sill</b>	422348.54	1989829.52	1193.58	275	-85
<b>SST-17</b>	<b>Sub-Sill</b>	422555.27	1989831.73	1154.92	95	-60
<b>SST-31</b>	<b>Sub-Sill</b>	422331.27	1989725.14	1128.79	130	-70
<b>SST-36</b>	<b>Sub-Sill</b>	422395.47	1989863.16	1185.09	0	-90

Notes:

True thickness of the mineralized zone is unknown and is reported as drill hole length  
The gold values used to calculate the intercept composite are uncapped

Total Length (m)	Intersection		Core Length (m)	Au g/t	Ag g/t	
		From (m)				To (m)
150.00		68.15	71.06	2.9	33.7	12.1
317.80		140.78	148.13	7.4	23.0	31.9
		256.76	272.80	16.0	19.4	28.2
221.70		67.22	71.35	4.1	10.3	50.5
		83.05	92.45	9.4	5.5	30.0
		140.89	143.36	2.5	18.9	33.6
200.50		91.71	97.80	6.1	14.7	3.7
		118.39	122.50	4.1	23.2	25.6
		139.90	146.67	6.7	6.7	14.4
120.00		64.50	80.00	15.5	14.9	2.4
		93.25	96.22	3.0	11.1	3.7
101.20		98.38	99.91	1.5	3.5	8.8
150.00		114.65	120.45	5.8	23.9	4.2
		134.58	138.49	3.9	112.7	39.2
314.60		No Intercepts				
101.50		80.04	81.36	1.3	16.3	27.2
300.00		134.03	136.32	2.3	9.4	8.6
302.50		274.53	285.12	10.6	9.1	36.2

<b>Cu</b>	<b>Lithology</b>
<b>%</b>	
0.3	Skarn
1.2	Skarn
1.0	Skarn
2.3	Skarn
1.1	Skarn
1.2	Skarn
0.2	Skarn
1.2	Skarn
0.6	Skarn
0.0	Skarn
0.1	Skarn
0.2	Skarn
0.1	Skarn
1.3	Skarn
0.9	Skarn
0.3	Skarn
3.4	Skarn